CLEVELAND COUNTY Drug Overdose Facts

DRUG OVERDOSE FAST FACTS*

Cleveland County Data (2016-2020)

- There were 153 unintentional drug overdose deaths in Cleveland County.
- Cleveland County had the 52nd highest death rate in the state.
- Males were 79% more likely to die than females.
- Adults aged 35-54 had the highest rate of death.
- Nearly one-third (29%) of people who died had a history of mental health problems.
- Nearly two out of three (62%) people who died had a history of substance abuse.
- Learn the warning signs of an overdose 58% of deaths occurred at a home or apartment.

*Rates per 100,000 population. Some rates are based on a small number of cases and should be interpreted with caution.

Most common substances in **Cleveland County** overdose deaths:

Methamphetamine

Fentanyl

Heroin

Alcohol

Alprazolam

Hydrocodone

Oxycodone

Cocaine

Methadone

Morphine

NUMBER OF UNINTENTIONAL OVERDOSE DEATHS BY TYPE OF SUBSTANCE

CLEVELAND COUNTY, 2016-2020

All unintentional **153** drug overdoses

Methamphetamine

Opioids

Benzodiazepines

Cocaine



12 Oklahomans die every week from an unintentional drug overdose

STATE FACTS:

- From 2016-2020, more than 3,300 Oklahomans died of an unintentional drug overdose.
- From 2007-2020, the unintentional methamphetaminerelated overdose death rate increased 12-fold. In 2020. methamphetamine was involved in nearly two out of three (64%) unintentional drug overdose deaths.
- From 2013-2019, the rate of unintentional prescription opioidrelated overdose death decreased by 58% (501 deaths in 2013; 215 deaths in 2019).
- From 2018-2020, nearly nine out of ten (87%) drug overdose deaths were unintentional and 8% were due to suicide.



Drug Overdose Hospitalizations*

(2017-2019)

Oklahoma State Facts

From 2017-2019, more than 14,000 Oklahomans were hospitalized for a nonfatal drug overdose. That's more than 90 Oklahomans each week. Oklahomans are hospitalized each week for a drug overdose

- Nearly half (49%) of hospitalizations were unintentional and 48% were due to self harm.
- Females were 51% more likely to be hospitalized than males.
- Adults aged 50-59 had the highest rates of hospitalization.
- The most common substances involved in hospitalizations were:
 - Opioids (22%)
 - Benzodiazepines (17%)
 - Non-opioid pain medications (13%)
 - Antidepressants (13%)
 - Stimulants (12%)



Females were 51% more likely to be hospitalized than males.



Cleveland County Facts

- Cleveland County had the 29th highest nonfatal drug overdose hospitalization rate in the state.
- 39% of hospitalizations were unintentional and 58% due to self harm.
- Females were 72% more likely to be hospitalized than males.
- Adults aged 85 and older had the highest hospitalization rates.
- The most common substances involved in hospitalizations were:
 - Opioids (19%)
 - Benzodiazepines (17%)
 - Non-opioid pain medications (15%)
 - Antidepressants (11%)

*Includes all intents of nonfatal drug overdose – unintentional, self harm, undetermined, and assault

Unintentional Drug Overdose Death Rates by County of Residence



